



भारत का राजपत्र

The Gazette of India

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं० 13] नई दिल्ली, शनिवार, मार्च 26, 1977 (चैत्र 5, 1899)
No. 13] NEW DELHI, SATURDAY, MARCH 26, 1977 (CHAITRA 5, 1899)

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके

Separate Paging is given to this Part in order that it may be filed as a separate compilation

भाग III—खण्ड 4

PART III—SECTION 4

विधिक निकायों द्वारा जारी की गई विविध अधिसूचनाएं जिसमें कि आदेश, विज्ञापन और सूचनाएं सम्मिलित हैं

Miscellaneous Notifications including Notifications, Orders, Advertisements and Notices issued by Statutory Bodies

भारतीय स्टेट बैंक
केन्द्रीय कार्यालय

बम्बई, दिनांक 22 फरवरी 1977

इसके द्वारा बैंक के स्टाफ में की गई निम्नलिखित नियुक्ति की अधिसूचना दी जाती है :—

श्री एन० एच० दवे को केन्द्रीय कार्यालय के स्टाफ में दिनांक 21 फरवरी, 1977 से उप शाखानिरीक्षक के पद पर नियुक्त किया जाता है।

पी० सी० डी० नम्बियार,
प्रबन्ध निदेशक

गई तिथियों से रद्द कर दिये गये हैं क्योंकि वे अपने प्रैक्टिस प्रमाण-पत्रों को रखने के इच्छुक न हों :—

क्रम सं०	सं०सं०	नाम एवं पता	तिथि
(1)	(2)	(3)	(4)
1.	7053	श्री पी० के० हांडा, ए० सी० ए०, ब्रांच मैनेजर, विजया बैंक लिमिटेड, चांदनी चौक, दिल्ली-6	1-8-76
2.	7848	श्री एस० डी० महेश्वरी, एफ० सी० ए०, अलम्यूनियम अफ्रीक लि०, बाक्स नं० 2070, दर-एस-सलाम (तानजानिया)	1-8-76

भारतीय चार्टर प्राप्त लेखाकार संस्थान

नई दिल्ली, दिनांक 24 फरवरी 1977

सं० 8 सी०ए०(1)/26/76-77—चार्टर प्राप्त लेखाकार विनियम 1964 के विनियम 10(1) खण्ड (तीन) के अनुसरण में एतद्वारा यह सूचित किया जाता है कि निम्नलिखित सदस्यों को जारी किये प्रैक्टिस प्रमाण-पत्र उनके नाम के आगे दी

(1)	(2)	(3)	(4)
3.	9393	श्री एस० सी० सिन्हा, ए० सी० ए०, 18/4, एम० फर्न रोड, कलकत्ता-19	1-8-76
4.	10751	श्री आई० एस० शाह, ए० सी० ए०, बी-2/5, कृपा नगर, एस० बी० रोड, आई० आर० एल० ए०, बम्बई-400056	1-8-76
5.	15047	श्री एस० वी० दयोधर, ए० सी० ए० 1-ए, "कुल प्रेम", वजीरनाका, तिलक रोड, बोरीवल (वैस्ट), बम्बई-400092	1-8-76
6.	16344	श्री एस० के० अग्रवाल, ए० सी० ए० 6/23, बराह भाई की गली, बेलन गंज, आगरा-282004	1-8-76
7.	17119	श्री विनोद गुप्ता, ए० सी० ए०, 12/19, शक्ति नगर, दिल्ली-7	10-9-76
8.	16926	श्री मोहन दास, ए० सी० ए०, के० आ० सीमैन्ट कार्पोरेशन, आफ इण्डिया लिमिटेड, 32, शास्त्री नगर, नीमुष (म० प्र०)	12-1-76

दिनांक 7 मार्च 1977

सं० 5 सी०ए०(1)/31/76-77—इस संस्थान की अधि-
सूचना सं० 4 सी०ए०(1)/14/74-75, दिनांक 16-12-74,
(2) 4-सी०ए०(1)/18/75-76, दिनांक 26-2-76, (3)
4-सी०ए०(1)/18/75-76, दिनांक 26-2-76, (4) 4-सी०ए०

(1)/20/75-76, दिनांक 23-3-76, (5) 4-सी०ए०(1)/17/
74-75, दिनांक 6-1-75, (6) 4-सी०ए०(1)/17/71-72,
दिनांक 18-12-71 व (7) 4-सी०ए०(1)/30/75-76, दिनांक
31-3-76 के सन्दर्भ में चार्टर प्राप्त लेखाकार विनियम 1964
के विनियम 18 के अनुसरण में एतद्वारा यह सूचित किया जाता
है कि उक्त विनियमों के विनियम 17 द्वारा प्रदत्त अधिकारों को
प्रयोग करते हुए भारतीय चार्टर प्राप्त लेखाकार संस्थान परिषद्
ने अपने सदस्यता रजिस्टर के निम्नलिखित सदस्यों का नाम पुनः
स्थापित कर दिया है :—

क्र० सं०	सं० सं०	नाम एवं पता	तिथि
(1)	(2)	(3)	(4)
1.	1004	श्री एस० के० दत्त, ए० सी० ए०, द्वारा दि फर्टीलाइजर कार्पो- रेशन आफ इण्डिया लि०, नंगल यूनिट, नया नंगल, तहसील रोपड़, (पंजाब)	23-2-77
2.	1138	श्री हंस राज बहल, एफ० सी० ए०, रस्तन भवन, मिर्जा इस्मैल रोड, जयपुर (राजस्थान)	26-2-77
3.	6913	श्री दीपक कुमार राजकुमार, मुखर्जी, ए० सी० ए०, दि एजन्ट, बैंक आफ इण्डिया, 44, जवाहरलाल नेहरू रोड, कलकत्ता-16	28-2-77
4.	7475	श्री गिरधारी लाल टण्डन, ए० सी० ए०, 1, सीडार कोर्ट, 18, चर्च फील्डज, साऊथ वुड फोर्ड, लंदन-ई 18 (यू० के०)	25-2-77
5.	8282	श्री मुहम्मद सादिक हुसैन, ए० सी० ए०, कन्दोलर,	

(1)	(2)	(3)	(4)	(1)	(2)	(3)
		द्वारा रैनासन्स आईवियर ग्रुप, 1059, किंग जार्ज रोड, फ़ोर्डज, एन० जे० 08863, यू० एस० ए०	24-2-77	3.	3567	श्री के० सी० राय, असिस्टेंट रिजनल मैनेजर, बैंक आफ बड़ौदा रिजनल आफिस, 7, पार्क हाउस स्कीम, एम० आई० रोड, जयपुर-302001
6.	9692	श्री टी० एस० बेन्कटानारायणपा, ए० सी० ए०, एकाउंट्स आफिस, आई० ए०, बी० आई० एस० एल०, भदरावती ।	26-2-77	4.	5440	श्री पी० एस० सुब्रामनियन, 34, वेस्ट वुड एवेन्यू, टोरोन्टो—एम० एच० के०—248, कनाडा
7.	15422	श्री प्रीतम सिंह ग्रीवर, ए० सी० ए०, 62, सेक्टर 11-ए, चण्डीगढ़ ।	14-9-76	5.	5751	श्री ए० जी० सूरती, 3728, टिलडन एवेन्यू, लोस एन्जैलिस सी० ए० 90034, यू० एस० ए०
				6.	8687	श्री पी० वछानी, 3817, मीडोडेल, बी० एल०, रिचमंड, बी० ए० 23234
				7.	9547	श्री गणेश बासु, एल-179, मोडल टाऊन, सोनीपत
				8.	11084	श्री एस० सी० जैन, जी-9, गांधी नगर, ग्वालियर-2
				9.	11398	श्री एस० यू० भाटिया, प्रणुला वसन्त कोआपरेटिव हाउसिंग सो०, प्लॉट नं० 292, ग्रोल्ड साईन, चैम्बर रोड, चूना भट्टी, बम्बई-400070
				10.	11821	श्री एन० आर० सम्पत, 4, कुष्ठा निकेतन, 262, साईन रोड, बम्बई-400022
				11.	13459	श्री बी० के० भट्टाचार्यी, 7-ए, प्रताप चैटर्जी लेन, कलकत्ता-12

दिनांक 9 मार्च 1977

सं० 4 सी०ए० (1)/28/76-77—चार्टर प्राप्त लेखाकार विनियम 1964 के विनियम 16 के अनुसरण में एतद्वारा यह सूचित किया है जाता कि चार्टर प्राप्त लेखाकार अधिनियम 1949 की धारा 20 की उप धारा 1 के खण्ड (ग) द्वारा प्रदत्त अधिकारों का प्रयोग करते हुए भारतीय चार्टर प्राप्त लेखाकार संस्थान परिषद् ने अपने सदस्यता रजिस्टर में से निर्धारित शुल्क जमा न कराने के कारण निम्नलिखित सदस्यों का नाम 1-8-1976 से हटा दिया है :—

क्रम सं०	सं० सं०	नाम एवं पता
(1)	(2)	(3)
1.	1410	श्री एन० ए० दाख्खाला, “सनशाइन” चर्च गेट रिक्लेमेशन, महाराष्ट्रकारवे रोड, बम्बई-20
2.	3196	श्री जी० एस० पेन्डसे, विष्णु निवास, 15, सुभाष ग्रीस रोड, नियर तिलक विद्यालय, विले पारले (ईस्ट), बम्बई-57

(1)	(2)	(3)	(1)	(2)	(3)
12.	13758	श्री जे० बी० गुप्ता, सी/34, आयल मिल गेट, मोदीनगर (यू० पी०)	22.	15477	श्री वी० के० सेठ, 1-ई/18, झण्डेवाला एक्सटेंशन, नई दिल्ली
13.	13994	श्री अरुण जैन, एफ 3/12, वसन्त विहार, नई दिल्ली-110057	23.	15519	श्री ए० के० सिन्हा, ए-15/7, वसन्त विहार, नई दिल्ली
14.	14300	श्री धजदी करार्ई, दि इण्डस्ट्रीयल एण्ड मार्टिंग डेवलप- मेंट बैंक आफ ईरान, प्रोजेक्ट्स डिपार्टमेंट, पो० बा० 1801, 133, हाफीज स्ट्रीट, तेहरान, ईरान	24.	15678	श्री एस० सी० दिवान, कोठी नं० 9, सैक्टर 16-ए, चण्डीगढ़
15.	14474	श्री ललित मोहन, क्वार्टर नं० 51, ब्लॉक II, सैक्टर III, रानीपुर, हरद्वार	25.	16191	श्री सुनील सेठी, केयर आफ जुआरी अग्री कैमिकल्स लि० पो० आ० जुआरी नगर-403726, गोआ
16.	14736	श्री के० राय चौधरी, 173, राण विहारी एवेन्यू, कलकत्ता-19	26.	16483	श्री एस० के० महारा, 6, वसन्त नगर, मजीठा रोड, बिहारिन्ड आईस हास्पिटल, अमृतसर
17.	14750	श्री टी० वी० जैन, 43, नील कंठ कालोनी, इन्दौर (एम० पी०)	27.	16542	श्री वी० पन्चापाकेसन, 314, नीलम बोरली, सीफेस रोड, बम्बई-18
18.	14778	श्री एस० एन० रे, 33, राण बिहारी एवेन्यू, कलकत्ता-26	28.	16787	श्री ए० ओ० कारिया, 8, लोक जीवन सोसायटी, निम्न मजियाणा, मनि नगर ईस्ट, अहमदाबाद-380008
19.	15163	श्री ए० के० मित्रा, 84, मुक्ता राम बाबू स्ट्रीट, कलकत्ता-700007	29.	17387	श्री बी० सी० नोकारो, 38-ए, काशी मित्रा घाट स्ट्रीट, कलकत्ता-3
20.	15425	श्री पी० एच० अग्रवाल, 1, मित्रा कुंज (ग्राऊण्ड फ्लोर), 16, पैडर रोड, बम्बई-400026	30.	17441	श्री एस० पी० शिन्गावी, केयर आफ वी० आर० सोमान, बिरला मैनशन, फस्ट फ्लोर, डा० डी० डी० साथे लेन, बम्बई-4
21.	15446	श्री वी० चन्द्रासेखरन, 12, प्लाजा थियेटर बिल्डिंग, कनाट सर्कस, नई दिल्ली	31.	17547	श्री जी० पी० अग्रवाल, मै० अरुण एंड गर्ग, 3/28, स्वामी घाट, मथुरा (यू० पी०)

पी० एस० गोपालाकृष्णन,
सचिव

कर्मचारी राज्य बीमा निगम

नई दिल्ली, दिनांक 10 मार्च 1977

सं० 1(1)-3/72-स्थापना-1(भाग 2)—कर्मचारी राज्य बीमा अधिनियम, 1948 (1948 का 34) की धारा 97 की उपधारा (1) जोकि उपधारा (2) तथा 2(क) के खण्ड (XXI) और धारा 17 की उपधारा (2) के साथ पठित है, के द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, कर्मचारी राज्य बीमा निगम, केन्द्रीय सरकार की अनुमति से कर्मचारी राज्य बीमा निगम में नर्सिंग अधीक्षक तथा आहार-विद् के पदों को भरने के ढंग को विनियमित करने के सम्बन्ध में निम्नलिखित विनियम बनाती है, अर्थात् :—

1. संक्षिप्त नाम और प्रारम्भ :

- (1) ये विनियम कर्मचारी राज्य बीमा निगम (नर्सिंग अधीक्षक तथा आहारविद्) भर्ती विनियम 1977 कहे जा सकेंगे।
- (2) ये सरकारी राजपत्र में प्रकाशित होने की तिथि से लागू होंगे।

2. संख्या, वर्गीकरण तथा वेतनमान :

उक्त पद की संख्या, इसका वर्गीकरण तथा पद का वेतनमान इन विनियमों के साथ संलग्न अनुसूची के स्तम्भ 2 से 4 में उल्लिखित के अनुसार होंगे।

3. भर्ती का ढंग, आयु-सीमा, योग्यताएं आदि :

उक्त पद की भर्ती का ढंग, आयु सीमा, योग्यताएं तथा इससे सम्बन्धित अन्य मामले उक्त सूची के स्तम्भ 5 से 13 में उल्लिखित के अनुसार होंगे।

4. अयोग्यता ऐसा कोई व्यक्ति :

- (क) जिसने किसी ऐसे व्यक्ति से जिसकी पहले कोई पत्नी अथवा पति जीवित है, विवाह किया है अथवा विवाह करने का करार किया है अथवा

(ख) जिसके एक जीवित पति या पत्नी है, उसने किसी अन्य व्यक्ति से विवाह किया है अथवा विवाह का करार किया है, उक्त पद पर नियुक्ति के लिये पात्र न होगा।

वर्णित कि निगम के महानिदेशक, यदि इससे सन्तुष्ट हैं कि विवाह, ऐसे व्यक्ति तथा विवाह को दूसरी पार्टी पर लागू वैयक्तिक नियमों के अन्तर्गत, अनुमेय है तथा ऐसा करने के दूसरे आधार भी हैं, इस विनियम को लागू करने में किसी भी व्यक्ति को छूट दे सकते हैं।

5. ढील हेतु शक्ति :

जहां निगम की स्थायी समिति की यह राय है कि ऐसा करना अनिवार्य अथवा कालोचित है, तो वह आदेश द्वारा कारणों को लिखित रूप में रिकार्ड करके तथा संघ लोक सेवा आयोग के परामर्श से किसी वर्ग अथवा व्यक्तियों की श्रेणी के सम्बन्ध में इन विनियमों के उपबन्धों में से किसी उपबन्ध में ढील दे सकती है।

6. अवशिष्ट मामले :

इन विनियमों के उपबन्धों के अधीन निगम में दूसरी समरूप पदों की श्रेणियों पर लागू सभी विनियम एवं निर्देश इन विनियमों के साथ संलग्न अनुसूची में विनिर्दिष्ट पदों पर लागू होंगे।

7. अपवाद :

ये विनियम अनुसूचित जातियों, अनुसूचित जन जातियों तथा इस सम्बन्ध में केन्द्रीय सरकार द्वारा समय-समय पर जारी किये गये आदेशों के अनुसार व्यक्तियों के दूसरे विभिन्न वर्गों को दिये जाने वाले आरक्षण तथा दूसरी रियायतों को किसी प्रकार प्रभावित नहीं करेंगे।

टिप्पणी—हिन्दी अनुवाद में किसी प्रकार की भिन्नता होने पर अंग्रेजी में लिखित विवरण को ही शुद्ध माना जाये।

અન

पद का नाम	पदों की संख्या	वर्गीकरण	वेतनमान	क्या सलैक्शन पद है या गैर सलैक्शन पद	सीधी भर्ती के लिये आयु सीमा	सीधी भर्ती के लिये शैक्षणिक व अन्य योग्यताएं
1	2	3	4	5	6	7
1. नर्सिंग अधीक्षक	1	ग्रुप-क अलिपिक वर्गीय	₹० 700-40-900-द० रो-40-1100-50- 1300.	सलैक्शन	35 वर्ष की आयु से अधिक नहीं (सरकारी कर्मचारियों तथा क० रा० बी० निगम के कर्मचारियों के लिए रियायत की जा सकती है)	आवश्यक 1.(क) (i) मैट्रिक अथवा इसके समकक्ष (ii) रजिस्टर्ड नर्स तथा मिडवाइफ (iii) पब्लिक हेल्थ नर्सिंग में डिप्लोमा अथवा (ख) (i) बी० एस० सी० मिडवाइफ सहित नर्सिंग (रजिस्टर्ड), (ii) पब्लिक हेल्थ नर्सिंग में प्रमाण पत्र ।
नोट — आयु सीमा निर्धारित करने की निर्णायक तिथि अभ्यर्थियों के प्रार्थना पत्रों की प्राप्ति की अन्तिम तिथि होगी (अण्डमान, निकोबार तथा लक्षद्वीप के अलावा)।						2. व्यवसाय में लगभग 5 वर्ष का अनुभव । (योग्य उम्मीदवारों के विषय में संघ लोक सेवा आयोग की स्वेच्छा पर योग्यताओं में छूट दी जा सकती है । विशेष कर अनुसूचित जातियों तथा अनुसूचित जनजातियों के उम्मीदवारों को आरक्षित पदों के लिए अनुभव योग्यताओं में छूट दी जा सकती है) । अपेक्षित : 1. हिन्दी का व्यावहारिक ज्ञान; 2. नर्सिंग संस्थान में शिक्षण अनुभव ।

सूची

क्या सीधी भर्ती की आयु-सीमा तथा शैक्षणिक योग्यताएं पदोन्नत कर्मचारियों के मामलों में भी लागू होंगी	परिबीक्षा काल यदि कोई है	भर्ती का ढंग क्या सीधी भर्ती या पदोन्नति द्वारा अथवा प्रतिनियुक्ति/स्थानान्तरण द्वारा तथा विभिन्न ढंगों द्वारा रिक्त पदों की भर्ती की प्रति-शतता	यदि भर्ती पदोन्नति/प्रतिनियुक्ति/स्थानान्तरण द्वारा है तो पदोन्नति प्रतिनियुक्ति स्थानान्तरण के ग्रेड	यदि विभागीय पदोन्नति समिति है तो इसका संग-ठन क्या है ?	परिस्थितियां जिसके अन्तर्गत भर्ती हेतु संघ लोक सेवा आयोग का परामर्श लेना है
8	9	10	11	12	13

आयु : नहीं शैक्षणिक योग्यताएं : हां	2 वर्ष	पदोन्नति द्वारा ऐसा न करने पर सीधी भर्ती द्वारा	पदोन्नति : नियमित आधार पर सिस्टर इन्चार्ज के पद पर नियुक्ति के पश्चात् 5 वर्ष के अनुभव सहित ।	ग्रुप—'क' विभागीय	संघ लोक सेवा आयोग की सहमति से प्रत्येक अवसर पर चयन किया जायेगा ।
---	--------	---	--	----------------------	---

पदोन्नति समिति :

1. अध्यक्ष अथवा सदस्य, संघीय लोक सेवा आयोग, अध्यक्ष
2. चिकित्सा आयुक्त-सदस्य
3. चिकित्सा अधीक्षक क० रा० बी० अस्पताल सदस्य

अनुसूची

1	2	3	4	5	6	7
2. आहारविद	1	युप-अ अलिपिक वर्गीय	ह० 550-25-750- द० रो०-30-900	लागू नहीं	35 वर्ष की आयु में अधिक नहीं, (सरकारी कर्मचारियों तथा क० रा० बी०, निगम के कर्मचारियों के लिए रियायत की जा सकती है) ।	<p>आवश्यक:</p> <p>किसी मान्य विश्वविद्यालय से आहार-विज्ञान पोषणहार अथवा जीव- विज्ञान या गृह-विज्ञान या गृह-अर्थशास्त्र में पोषणाहार एक विषय के साथ स्नातकोत्तर डिग्री या इसके समकक्ष ।</p> <p>अथवा</p> <p>नोट — आयु सीमा निर्धारित करने की निर्णायक तिथि अभ्यर्थियों के प्रार्थना-पत्रों की प्राप्ति की अन्तिम तिथि होगी (अण्डमान, निकोबार तथा लक्षद्वीप के अलावा) ।</p> <p>किसी मान्य विश्वविद्यालय से बी० एस सी० (गृह-विज्ञान/गृह-अर्थशास्त्र) अथवा बी० एससी० (जीव-विज्ञान) पोषणाहार एक-एक विशेष विषय के साथ या इसके समकक्ष तथा किसी मान्य संस्थान से आहार-विज्ञान में स्नातकोत्तर, डिप्लोमा तथा किसी अस्पताल में आहार-विज्ञान विभाग में 3 वर्ष का अनुभव ।</p> <p>(योग्य उम्मीदवारों के विषय में संघ लोक सेवा आयोग की स्वच्छता पर योग्यता में छूट दी जा सकती है । विशेषकर अनुसूचित जातियों तथा अनुसूचित जन जातियों के उम्मीदवारों को आरक्षित पदों के लिये अनुभव योग्यताओं में छूट दी जा सकती है ।</p> <p>अपेक्षित :</p> <p>पोषणाहार तथा/अथवा इससे सम्बन्धित विषयों के क्षेत्र में अनुसंधान अथवा व्यावहारिक अनुभव ।</p>

—जारी—

8	9	10	11	12	13
---	---	----	----	----	----

लागू नहीं	2 वर्ष	सीधी भर्ती द्वारा	लागू नहीं	लागू नहीं	संघ लोक सेवा आयोग के परामर्श से चयन किया जाएगा।
-----------	--------	-------------------	-----------	-----------	--

टी० एन० लक्ष्मीनारायणन
महानिदेशक

नई दिल्ली, दिनांक 11 मार्च, 1977

सं० आर-19(11)/6/76-(पी० एण्ड डी०)—कर्मचारी राज्य बीमा निगम ने 23 फरवरी, 1977 की बैठक में निम्नलिखित संकल्प पास किया, जो सभी को सूचनार्थ प्रकाशित किया जाता है :—

संकल्प

कर्मचारी राज्य बीमा अधिनियम, 1948 की धारा 19, जोकि कर्मचारी राज्य बीमा (केन्द्रीय) नियम, 1950 के नियम 23(क) के साथ पठित है, के अनुसरण में कर्मचारी राज्य बीमा निगम संकल्प लेती है कि सभी ऐसे बीमाकृत व्यक्ति जिन्होंने 1-8-76 से 31-3-77 तक की अवधि में परिवार नियोजन हेतु नसबन्दी आपरेशन करवा लिया है अथवा करवाना है परन्तु वे 16-7-76 को हुई बैठक में निगम द्वारा पास किये गए संकल्प के अन्तर्गत पवार नियोजन के लिए बड़े हुए बीमारी लाभ के पात्र नहीं हैं, उन्हें परिवार नियोजन प्रोत्साहन के रूप में निम्नलिखित एक मुश्त राशि का भुगतान किया जाए :—

नसबन्दी आपरेशन के लिए रु० 50/-

नलबन्दी आपरेशन के लिए रु० 100/-

उपरोक्त एक मुश्त भुगतानों पर व्यय कर्मचारी राज्य बीमा (केन्द्रीय) नियमों के नियम 23(क) में विहित व्यय सीमा के अन्तर्गत सीमित रखा जाएगा।

टिप्पणी :—हिन्दी अनुवाद में किसी प्रकार की भिन्नता होने पर अंग्रेजी में लिखित विवरण को ही शुद्ध माना जाये।

सं० एन० 12(13)/2/76-(पी० एण्ड डी०) —कर्मचारी राज्य बीमा अधिनियम, 1948 (1948 का 34) की धारा 97 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए कर्मचारी राज्य बीमा निगम, कर्मचारी राज्य बीमा (सामान्य) विनियम, 1950 में और संशोधन करने के लिए निम्नलिखित विनियम बनाती है, ये विनियम भारत के राजपत्र में दिनांक 23-10-1976 को पहले प्रकाशित हुए थे जिनमें, जैसे कि उक्त धारा की उप-धारा (1) में अपेक्षित है, सुझाव-आपत्तियां, यदि कोई हों, मांगी गई थीं, अर्थात् :—

1. (1) ये विनियम कर्मचारी राज्य बीमा (सामान्य) संशोधन 1977 कहे जायेंगे;

(2) वे सरकारी राजपत्र में प्रकाशित होने की तिथि से लागू होंगे।

2. कर्मचारी राज्य बीमा (सामान्य) विनियम, 1950 के विनियम 10 के उप-विनियम (1) की वर्तमान धारा (घ) की धारा “(घ)(ii)” पुनः संख्यांकित किया जाएगा तथा उक्त धारा को पुनः संख्यांकित करने के पश्चात् निम्न नई धारा “(घ)(ii)” सन्निविष्ट की जाएगी, अर्थात् :—

“(घ)(ii) निगम के क्षेत्रीय उप-चिकित्सा आयुक्त—पदेन”

3. उक्त विनियम के विनियम 98 की वर्तमान धारा (iii) के स्थान पर निम्नलिखित धारा प्रतिस्थापित की जायेगी, अर्थात् :—

“(iii) धारा (i) तथा (ii) के उपबन्धों के न होने पर भी यदि कोई कर्मचारी जो निम्नलिखित बीमारियों में किसी भी बीमारी के अंतर्गत चिकित्सा उपचार में रहा हो जोकि इन विनियमों के अनुसार विधिवत प्रमाणित की गई हो और 18 महीने या उससे अधिक अवधि के लिए लगातार ऐसे चिकित्सा उपचार में रहा है।

बीमारियां :

1. क्षय रोग।
2. कोढ़।
3. मानसिक रोग (मनोविक्षिप्ति)।
4. दर्दमय रोग।
5. अधरांगघात।
6. पक्षाघात।
7. चिरकाल से संकुलित हृदयफलता।
8. कच्चा मोतियाबिन्द, जबकि प्रभावित नेत्र की वीक्षण शक्ति 6/60 या कम हो।
9. फुफ्फुसनालोलन।
10. फुफ्फुस का फोड़ा।
11. मार्योकार्डियल इन्फार्क्शन।
12. अन्तराकशेरुक बिम्ब का विस्थापन और अंग्र।
13. कम्पाघात।
14. असाध्य रक्तहीनता।
15. जलोदर के साथ यकृत का अधितंतुरोग।
16. दृष्टिपटल का वियोजन।
17. अस्थियां भंग होने पर उसका न जुड़ना या देर से जुड़ना।
18. एम्पाइमा।
19. कपाल के भीतर चोट का लगना।
20. मेरू-रज्जु सम्पीडन।
21. पुराना (साधारण) प्रारम्भिक ग्लांकोमा।

4. उक्त विनियम के विनियम 103 के वर्तमान उप-विनियम (3) के स्थान पर निम्नलिखित उप-विनियम प्रतिस्थापित किया जायेगा, अर्थात् :—

“(3) यदि कोई बीमाकृत व्यक्ति, बीमारी का दौर प्रारम्भ होने से पूर्व ही जिसमें बीमारी का निदान किया गया हो, निम्नलिखित बीमारियों में से किसी एक बीमारी से पीड़ित रहा हो तथा उस फेक्टरी में लगातार 2 वर्ष या अधिक अवधि तक रोजगार में रहा हो जिसमें अधिनियम के उपबन्ध लागू होते हैं तो वह चिकित्सा हितलाभ के लिए एक लगातार लाभ अवधि के लिये पात्र होगा और जब विस्तारित बीमारी हितलाभ 309 दिन के लिए विस्तारित किया जायेगा तो वह 2 लगातार

हितलाभ अवधियों के लिये जिस तारीख से वह चिकित्सा हितलाभ के लिये प्रभावी गून्व होता हो, हकदार रहेगा।

1. क्षय रोग।
2. कोढ़।
3. मानसिक रोग (मनोविक्षिप्ति)।
4. दुर्दम्ब रोग।
5. अधरांगघात।
6. पक्षाघात।
7. चिरकाल से संकुलित हृत्विफलता।
8. कच्चा मोतियाबिंद जबकि प्रभावित नेत्र की वीक्षण शक्ति 6/60 या कम हो।
9. फुफुसनालोत्तन।
10. फुफुस का फोड़ा।
11. मायोकार्डियल इन्फार्क्शन।
12. अन्तराक्षरक बिम्ब का विस्थापन और भ्रंश।
13. कम्पवात।
14. असाध्य रक्तहीनता।
15. जलेदर के साथ यकृत का अधितन्तुरोग।
16. दृष्टिपटल का वियोजन।
17. अस्थिभंग होने पर उसका न जुड़ना या देर से जुड़ना।
18. कपाल के भीतर चोट का लगना।
19. मेरू रज्जु सम्पीड़न।
20. एम्पाइमा।
21. पुराना (साधारण) प्रारम्भिक ग्लोकोमा।

सं० एन०-17/11/77 (पी० एण्ड डी०) (4)—कर्मचारी बीमा अधिनियम, 1948 (1948 का 34) की धारा 46(2) जोकि कर्मचारी राज्य बीमा (सामान्य) विनियम 1950 के विनियम 95-क के साथ पठित है, के अनुसरण में शक्तियों का प्रयोग करते हुये महानिदेशक ने जैसा कि उक्त विनियम 95-क तथा कर्मचारी राज्य बीमा (चिकित्सा हितलाभ) नियम, 1953 में निर्दिष्ट है, बीमाकृत व्यक्तियों के परिवारों पर चिकित्सा हितलाभ को पंजाब राज्य के निम्नलिखित क्षेत्रों में विस्तार करने के लिये 20-3-77 की तिथि नियत की है, अर्थात् :—

क्षेत्र	जिला	हृदयस्त नम्बर
जगतजीत नगर हमीरा	कपूरथला	229

फकीर चन्द,
निदेशक (योजना एवं
विकास)

टिप्पणी :—हिन्दी अनुवाद में किसी प्रकार की भिन्नता होने पर अंग्रेजी में लिखित विवरण को ही शुद्ध माना जाये।

शुद्धि पत्र

(1) भारत के राजपत्र दिनांक 6-11-76 के भाग-III खण्ड-4 में पृ० सं० 2103 पर प्रकाशित अधिसूचना संख्या 6(3)/73-स्था०-4, दिनांक 16-10-76, के पैरा 2 की दूसरी पंक्ति में “धारा-45” के स्थान पर “धारा 25” पढ़ा जाए।

(2) भारत के राजपत्र दिनांक 16-11-76 के भाग-III खण्ड-4 में पृष्ठ सं० 2104 पर प्रकाशित अधिसूचना संख्या 6(4)/69-स्था०-4 के अन्तिम पैरे की प्रथम पंक्ति में ‘उक्त अधिसूचना’ शब्दों के पश्चात् ‘में’ शब्द जोड़ दिया जाए।

(3) भारत के राजपत्र दिनांक 5-1-77 के भाग-3 खण्ड-4 में पृष्ठ सं० 574 पर प्रकाशित अधिसूचना सं० डब्ल्यू 33(11)-1/76-स्था०-4 दिनांक 31-12-76 की मद संख्या 6 की दूसरी पंक्ति में “द्वार” के स्थान पर “द्वारा” पढ़ा जाए।

(4) निम्नलिखित अधिसूचनओं के अन्त में यह पाद टिप्पणी पढ़ी जाए।

“हिन्दी अनुवाद में किसी प्रकार की भिन्नता होने पर अंग्रेजी में लिखित विवरण को ही शुद्ध माना जाए”

अधिसूचना संख्या तथा तारीख	राजपत्र की पृष्ठ संख्या
(1) डब्ल्यू-33(11)-1/76-स्था०-4 पृष्ठ 574 दिनांक 31-12-76	15-1-77
(2) 6(16)/71-स्था०-4 दिनांक 27-12-76	पृष्ठ सं० 573 दिनांक 15-1-77
(3) डब्ल्यू 33(11) 3/75-स्था०-4 दिनांक 10-12-76	पृष्ठ सं० 2485 दिनांक 25-12-76

दी इंस्टिट्यूट आफ कास्ट एण्ड वर्क्स

एकाउन्टेन्ट्स आफ इन्डिया

कलकत्ता, दिनांक 3 मार्च, 1977

(कास्ट एकाउन्टेन्ट्स)

16-सी० डब्ल्यू० आर० (190—192)/77—दी कास्ट एण्ड वर्क्स एकाउन्टेन्ट्स रेग्युलेशन 1959 के विनियम 16 का अनुसरण कर यह सूचित किया जाता है कि दी इंस्टिट्यूट आफ कास्ट एण्ड वर्क्स एकाउन्टेन्ट्स आफ इन्डिया के परिषद ने कास्ट एण्ड वर्क्स एकाउन्टेन्ट्स अधिनियम 1959 की धारा 20 की उप-धारा (1) द्वारा दिये गये अधिकारों का प्रयोग करते हुए निम्नलिखित सदस्यों के नामों को उनकी मृत्यु के कारण प्रभावित होने की तारीख से सदस्य पंजिका से हटा दिया :—

M/3786

श्री नयन अर्जनभाई ठाकुर, बी० काम,
ए०आई०सी०डब्ल्यू० ए०,
आफिसर, बैंक आफ बड़ौदा,
सेन्ट्रल आफिस,
बम्बई-1।

7 जनवरी, 1977

M/227

श्री निर्मलचन्द्र घोष बी० काम,
एफ०सी०ए०, ए०आई०, सी० डब्ल्यू० ए०,
एन०सी० घोष एण्ड क०
105, बालीगंज गार्डन्स,
कलकत्ता-19

10 फरवरी 1977

M/148

श्री डी० एस० सोमयजुलु
बी०एस०सी०, ए०आई०सी०, डब्ल्यू०ए०
इन्टर्नल ब्राडीट आफिसर
हिन्दुस्तान शिपयार्ड लि०,
विसाखापटम-5।

17 फरवरी 1977

एस० एन० घोष,
सचिव

STATE BANK OF INDIA
(CENTRAL OFFICE)

Bombay, the 22nd February 1977

The following appointment on the Bank's staff is hereby notified :—

Shri N. H. Dave has been appointed as Dy. Branch Inspector on the Central Office Staff as from the 21st February 1977.

P. C. D. NAMBIAR,
Managing Director

THE INSTITUTE OF CHARTERED ACCOUNTANTS
OF INDIA

New Delhi-1, the 24th February 1977

No. 8CA(1)/26/76-77—In pursuance of Clause (iii) of Regulation 10 (1) of the Chartered Accountants Regulation, 1964, it is hereby notified that the Certificate of Practice issued to the following members shall stand cancelled for the period mentioned against their names, as they do not desire to hold their Certificate of Practice.

S. No.	Member-ship No.	Name and Address	Period from which the Certificate shall stand Cancelled.
1	2	3	4
1.	7053	Sh. P. K. Handa, A.C.A., Branch Manager, Vijaya Bank Ltd., Chandni Chowk, Delhi-6.	1-8-76

1	2	3	4
2.	7848	Shri S.D. Maheshwari, F.C.A., Aluminium Africa Ltd., Box No. 2070. DAR ES SALAAM (Tanzania).	1-8-76
3.	9393	Shri S.C. Sinha, A.C.A., 18/4-M Fern Road, Calcutta-19.	1-8-76
4.	10751	Shri I.S. Shah, A.C.A., B-2/5, Kripanagar, S.V. Road, IRLA, Bombay-400056.	1-8-76
5.	15047	Shri S.V. Deodhar, A.C.A., 1 A, "Kulprem", Vazira Naka, Tilak Road, Borivali (West), Bombay-400092.	1-8-76
6.	16344	Shri S.K. Agarwal, A.C.A., 6/23, Barah Bhai Ki Gali, Belanganj, Agra-282004.	1-8-7
7.	17119	Shri Vinod Gupta, A.C.A., 12/19, Shakti Nagar, Delhi-7.	10-9-7
8.	16926	Shri Mohan Dass, A.C.A., C/o Cement Corporation of India, Ltd., 32, Shastri Nagar, Neemuch (M.P.).	12-1-7

Inventors : RALPH HOWE AND LESLIE HAROLD SMITH.


Application No. 1823/Cal/75 filed September 23, 1975.

Division of Application No. 119001 filed December 13, 1968.


Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

6 Claims

A process for the manufacture of alkanolamine derivatives of the formula shown in Figure 1.



wherein R^1 stands for an alkyl radical of up to 12 carbon atoms which may optionally be substituted by one or two substituents selected from hydroxy radicals, alkoxy radicals of up to 5 carbon atoms, and phenyl and phenoxy radicals which may themselves optionally be substituted by one or more chlorine or bromine atoms or methyl, ethyl, methoxy or ethoxy radicals, or wherein R^1 stands for a cycloalkyl radical of up to 8 carbon atoms, wherein R^2 stands for the formyl radical, or for an alkanoyl, cycloalkane-carbonyl, aryl, aralkanoyl, aryloxyalkanoyl or arene-sulphonyl radical each of up to 10 carbon atoms, or for a halogenoalkyl, alkanesulphonyl or alkoxy carbonyl radical each of up to 6 carbon atoms; and wherein R^3 stands for a halogen atom, or for the cyano radical, or for an alkylthio, cycloalkyl, alkanoyl or alkoxy carbonyl radical each of up to 6 carbon atoms, or for a phenyl or phenoxy radical which may optionally be substituted by one or more halogen atoms, nitro radicals or alkyl or alkoxy radicals each of up to 4 carbon atoms, or for an alkyl radical of up to 4 carbon atoms which is substituted by the hydroxy radical, or by an alkoxy radical of up to 6 carbon atoms, or by one or more halogen atoms, or by the phenyl radical; and the acid-addition salts thereof, characterised by the hydrogenolysis in the manner as herein described of a compound of the formula shown in Figure 2.



wherein R^1 , R^2 and R^3 have the meanings stated above and wherein R^2 stands for a hydrogenolysable radical, or an acid-addition salt thereof, whereafter if an acid-addition salt is required the product in free-base form is reacted with an acid by conventional means.

CLASS 83A,

141242.

Int. Cl.-A23j 1/14, 3/00.

A PROCESS FOR THE PREPARATION OF SOLUBLE SOYA PROTEINS.

Applicant : NESTLE'S PRODUCTS LIMITED, OF NESTLE HOUSE, COLLINS AVENUE, NASSAU, BAHAMAS.

Inventor : JAN KRUSEMAN.

Application No. 443/Cal/76 filed March 12, 1976.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

9 Claims. No drawings

A process for the preparation of a soluble fraction of soya proteins which comprises at least partially extracting the proteins present in soya in aqueous medium at a pH value between 1.5 and 3.5 below the isoelectric point of soya proteins to obtain acid extract of soya proteins, and neutralising the acid extract in time of less than about 60 seconds by the addition of alkali in a concentration of higher than about 0.1 N.

2-447GI/76

CLASS 32C & 60Xo.

141243.

Int. Cl.-C07g 11/00.

A PROCESS OF PRODUCING LUCKNOMYCIN.

Applicant : UCB, S.A., OF 4, CHAUSSEE DE CHARLE-ROI, SAINT-GILLES-LEZ-BRUXELLES, BELGIUM.

Inventors : VINAY CHHOTALAL VORA AND AMRUT VITHALDAS MODY.

Application No. 901/Cal/76 filed May 24, 1976.

Convention date May 28, 1975/(23342/75) U.K.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

4 Claims. No drawings

A process of producing an antifungal and antiprotozoal antibiotic defined as "Lucknomycin" which

- is an orange yellow powder;
- starts to decompose at about 150°C. but, even at 300°C., does not melt;
- has a molecular weight of about 1240;
- has the following elemental analysis : C, 58, 92; H, 7.58; N, 2.29;
- is soluble in pyridine, dimethylformamide and dimethylacetamide, less soluble in 60% methanol, concentrated ethanol and isopropanol and is insoluble in benzene, acetone, water, chloroform, absolute ethanol, cyclohexane, ethyl acetate and diethylether;
- gives an intense blue coloration in sulfuric acid;
- has the following infrared absorption spectrum in a KBr pellet (in cm^{-1}) :

3400 (S)	1465 (W)	1075 (S)
3100 (W)	1390 (W)	1045 (W)
2930 (S)	1350 (W)	1010 (S)
2860 (M)	1325 (W)	995 (W)
1715 (M)	1295 (W)	940 (W)
1650 (M)	1250 (W)	890 (W)
1600 (S)	1185 (S)	850 (M)
1575 (W)	1140 (W)	835 (W)
1545 (W)	1110 (M)	800 (W)

wherein S means strong absorption, M medium absorption and W weak absorption;

- has the following ultraviolet absorption spectrum taken at a concentration of 1 mg. per 100 ml of dimethylformamides.

344 $m\mu$ ($\epsilon=3.5 \times 10^4$)
364 $m\mu$ ($\epsilon=5.52 \times 10^4$)
384 $m\mu$ ($\epsilon=8.04 \times 10^4$)
408 $m\mu$ ($\epsilon=6.6 \times 10^4$)

- has an optical rotation $[\alpha]_{D25^\circ C} = 187$ to 194° ($C=0.3\%$ in dimethylformamide at $25^\circ C$); and
- is an aromatic heptacene giving by retroaldolization reaction p-N-methylamino-acetophenone and which contains mycosamine as a substituent and which has no titratable carboxyl group, which comprises cultivating *Streptomyces diastatochromogenes* var. *Kraus* having the identifying characteristics of CBS 101.74, in an aqueous nutrient medium containing a source of assimilable carbon and a source of assimilable nitrogen under submerged aerobic conditions until substantial antifungal and anti-protozoal antibiotic activity is imparted to said medium by the production of lucknomycin and isolating the lucknomycin so produced.

CLASS 32F₃. 141244.
Int. Cl.-C07c 121/58.

A PROCESS RELATING TO THE PRODUCTION OF TEREPHTHALODINITRILE FROM PARA-XYLENE, A CONSTITUENT OF COKE-OVEN BENZOLE AND PETROLEUM NAPHTHA.

Applicant: COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, RAJ MARG, NEW-DELHI-1, INDIA.

Inventors: SISIR KUMAR RAY, SUBHASH CHANDRA RAY, NADIMINTI VENKATA RAMANA APPA RAO, HEJAMADI SHREEPATHI RAO AND ADINATH LAHIRI.

Application No. 1812/72 filed November 3, 1972.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Delhi Branch.

5 Claims.

A process for the production of terephthalodinitrile through the ammoxidation of para-xylene in the vapour phase, characterised in that the ammoxidation is carried out with air and ammonia in a single step in presence of vanadium pentoxide-chromium oxide—boric acid—alumina as catalyst.

CLASS 32F_{3b}. 141245.
Int. Cl.-C07d 27/56.

IMPROVEMENTS IN OR RELATING TO THE PREPARATION OF 1, 3, 3-TRIMETHYL-2-METHYLENE INDOLINE.

Applicant: COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, RAJ MARG, NEW DELHI-1, INDIA.

Inventors: NAGARAJ RAMANUJ AYYANGAR, SUBHASH KRISHNA PANDIT AND BAL DATTATRAYA TILAK.

Application No. 2642/Cal/73 filed December 3, 1973.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Delhi Branch.

4 Claims.

A process for the preparation of 1, 3, 3-trimethyl-2-methylene indoline (I. commonly known as Fischer's base), a valuable intermediate for cationic dyes, by treating directly the phenylhydrazine methyl iso-propyl ketone (II) with dimethyl sulphate at 78° to 80°C for 5 to 12 hours in presence of a solvent such as benzene, followed by basification with aqueous alkali such as 10% sodium hydroxide, extraction of the product with an organic solvent such as diethyl ether or benzene and recovery of the product by solvent removal, characterised in that the phenyl hydrazone of methyl iso-propyl ketone (II) is prepared *in situ* from phenyl hydrazine and methyl iso-propyl ketone.

CLASS 32F₁ & 39L. 141246.
Int. Cl.-C07c 19/02, 21/00, 23/00, 25/00.

BO1j 11/32, 11/40, 11/42, 11/46, 11/54, 11/56.

A PROCESS FOR THE CATALYTIC OXYHALOGENATION OF HYDROCARBON OR HALOGENATED HYDROCARBON FEEDSTOCK.

Applicant: IMPERIAL CHEMICAL INDUSTRIES LIMITED, OF IMPERIAL CHEMICAL HOUSE, MILLBANK, LONDON, S.W.1., ENGLAND.

Inventors: RUTH MARGARET LANE AND MARTYN HUGH STACEY.

Application No. 2838/Cal/73 filed December 31, 1973.

Convention date January 9, 1973/(1118/73) U.K.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

13 Claims. No drawings.

A process for the catalytic oxyhalogenation of a hydrocarbon or halogenated hydrocarbon feedstock which comprises carrying out the oxyhalogenation reaction in the presence of a catalyst which is an intimate mixture of the oxides of magnesium, aluminium and copper.

CLASS 47B. 141247.
Int. Cl.-C10j 1/06.

IMPROVEMENTS IN OR RELATING TO PRODUCER GAS PLANTS.

Applicant & Inventor: ABANINDRA NATH GHOSH, OF NASKARPUR (J. R. GHOSH'S GARDEN), P.O. GARIA, 24-PARGANAS, WEST BENGAL, INDIA.

Application No. 161/Cal/74 filed January 22, 1974.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

12 Claims.

A producer gas plant for use in running petrol or oil engines and motors comprising a fuel combustion chamber to produce gas, means for introducing a draught of air into the chamber and, means for cooling said air introduction means.

CLASS 155F_a. 141248.
Int. Cl.-D04h 1/58.

A PROCESS FOR THE PRODUCTION OF SATURATION BONDED NON WOVENS TO BE USED AS DUSTERS, WIPERS, INTERLINING AND PADDING MATERIALS FOR DRESSES.

Applicant: COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, RAJ MARG, NEW DELHI-1, INDIA.

Inventors: ASOK MAJUMDAR, BANI PRASAD CHAIIHA AND MADHUR SRINIVAS IYENGAR.

Application No. 221/Cal/74 filed February 1, 1974.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Delhi Branch.

3 Claims. No drawings.

A process for the production of saturation bonded non-wovens to be used as dusters, wipers, interlining and padding materials for dresses, which is characterised in the preparation of the binder comprising of polyvinyl alcohol, sulphuric acid, sodium sulphate, formaldehyde and water in the weight proportion of (1-5) : (7-11) : 7.5 : (2.5-5) : (135-149) respectively and then immersing the cotton-fibre web, supported between two polyethylene wire-meshes, in the above-mentioned binder-system, squeezing the sandwiched web to drain out excess liquid and heating it to temperature of (50-60)°C for (20-30) minutes and then immersing in sodium hydroxide solution (1% w/v) with subsequent washing with water till neutral followed by drying in oven.

CLASS 48A₂ & A₃. 141249.
Int. Cl.-H01b 5/00.

METHOD AND APPARATUS FOR THE PRODUCTION OF COPPER-CLAD ALUMINIUM OR ALUMINIUM ALLOY WIRE AND THE WIRE SO PRODUCED.

Applicants: KABEL-UND METALLWERKE GUTEHOFFNUNGSHUTTE AKTIENGESellschaft, OF VAHRENWALDER STRASSE 271, 3000 HANNOVER, WEST GERMANY.

Inventors: GERHARD ZIEMEKE.

Application No. 374/Cal/74 filed February 22, 1974.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

37 Claims.

A method for the continuous production of copper-clad aluminium (or aluminium alloy) wire, comprising: forming a copper strip into a tube around an aluminium (or aluminium alloy) core wire, said tube having a diameter larger than the diameter of the core wire, whereby there is a clearance between the tube and core wire; welding the tube formed around the core wire; reducing the cross-sectional area of the tube to about the diameter of the core wire to remove the clearance between the tube and core wire; and then reducing the cross-sectional area of the tube and core wire by straight drawing, said reduction in cross-sectional area of the tube and core wire being at least 50% to produce a cold weld between the tube and core wire.

CLASS 48A₁ & A₃.

141249.

Int. Cl.-H01b, 5/00.

METHOD AND APPARATUS FOR THE PRODUCTION OF COPPER-CLAD ALUMINIUM OR ALLUMINIUM ALLOY WIRE AND THE WIRE SO PRODUCED.

Applicant : KABEL-UND METALLWERKE GUTEHOFENUNGSHUTTE AKTIENGESellschaft, OF VAHRENWALDER STRASSE 271, 3000 HANNOVER, WEST GERMANY.

Inventor : GERHARD ZIEMEKE.

Application No. 374/Cal/74 filed February 22, 1974.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

37 Claims.

A method for the continuous production of copper-clad aluminium (or aluminium alloy) wire, comprising: forming a copper strip into a tube around an aluminium (or aluminium alloy) core wire, said tube having a diameter larger than the diameter of the core wire, whereby there is a clearance between the tube and core wire; welding the tube formed around the core wire; reducing the cross-sectional area of the tube to about the diameter of the core wire to remove the clearance between the tube and core wire; and then reducing the cross-sectional area of the tube and core wire by straight drawing, said reduction in cross-sectional area of the tube and core wire being at least 50% to produce a cold weld between the tube and core wire.

CLASS 70C₁.

141250.

Int. Cl.-C23b 3/02.

IMPROVEMENTS IN OR RELATING TO ETCHING OF ALUMINIUM OR ITS ALLOY FOR USE AS ELECTRODE IN ALUMINIUM ELECTROLYTIC CAPACITOR.

Applicant : COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, RAFI MARG, NEW DELHI-1, INDIA.

Inventors : KANDADAI RAJAGOPALACHARI NARASIMHAN, BALKUNJE ANANTHA SHENOI, HANDADY VENKATAKRISHNA UDUPA, VENKATASUBRAMANIAN LAKSHMINARASIMHAN, DEVARAJ KANAGARAJ, MRS. VIJAYALAKSHMI RAMAKRISHNAN, AND ANGUSWAMY PERUMAL.

Application No. 433/Cal/74 filed February 28, 1974.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Delhi Branch.

4 Claims. No drawings.

A process for electrolytically etching aluminium foil which comprises subjecting the aluminium foil to an anodic treatment in an aqueous solution consisting of (i) a soluble chloride 15—30%, (ii) a soluble salt of sulphuric acid, aliphatic hydroxy (mono, di or tri) carboxylic acid 1—8%, (iii) aliphatic hydroxy (mono, di or tri) carboxylic acid or boric acid 1.0 to 20% and (iv) one or more of the substances like tartaric acid, poly-hydric alcohol, products of hydrolysis of sugar, inorganic acids like hydrochloric acid or sulphuric acid so as to adjust the pH between 1 and 4.5, the said anodic treatment being carried out at a current density of 0.48 to 1.24 amps/cm² for 48 coulomb to 125 coulomb per sq. cm. of the foil surface, at a temperature of 98—105°C wherein the etched foil is subjected to post treatment in a hot solution containing one or more of the inorganic substances like phosphate, silicate, periodate and boric acid in order to achieve high gain etched foil with an etch ratio of at least 40 at 30 volts forming.

CLASS 103F & I.

141251.

Int. Cl.-C22b 11/00.

A PROCESS FOR OBTAINING METALLIC SILVER IN DISPERSED PHASE.

Applicant : COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, RAFI MARG, NEW DELHI-1, INDIA.

Inventors : SHRI VISHWA MITRA BHUCHAR AND DR. AJIT KUMAR SARKAR.

Application No. 864/Cal/74 filed April 17, 1974.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Delhi Branch.

6 Claims.

A process for obtaining metallic silver in dispersed phase by heating silver oxalate characterised in that silver oxalate is reacted with N and O ligands such as (i) polyhydroxy compound e.g., sugar, cellulosic fibres, ascorbic acid, and/or, (ii) amino compounds e.g., ammonia or substituted amines prior to heating further characterised in that the reaction product is heated to 130°C or more whereby metallic silver is obtained in a dispersed phase without any explosion, and in 99.9 fineness.

CLASS 32F₃c

141252.

Int. Cl.-C07d 23/04.

PROCESS FOR THE PRODUCTION OF 1, 1-DIAMINO-ETHYLENE DERIVATIVES.

Applicant : SMITH KLINE & FRENCH LABORATORIES LIMITED, OF MUNDELLS, WELWYN GARDEN CITY, HERTFORDSHIRE, ENGLAND.

Inventors : GRAHAM JOHN DURANT, JOHN COLIN EMMETT, CHARON ROBIN GANELLIN AND HUNTER DOUGLAS PRAIN.


Application No. 916/Cal/74 filed April 23, 1974.

Convention date May 17, 1973/(23568/73) U.K.


Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

14 Claims.

A process for the production of 1, 1-diaminoethylene derivatives of the formula I.



wherein X and Y, which may be the same or different, may each be hydrogen, nitro, cyano or SO₂Ar but may not both be hydrogen; R is hydrogen, lower alkyl or Het (CH₂)_m Z (CH₂)_n; Z is sulphur or oxygen; m is 0, 1 or 2 and n is 2 or 3 provided that the sum of m and n is 3 or 4; Het is nitrogen containing 5 or 6 membered heterocyclic ring such as imidazole, pyridine, thiazole, isothiazole, oxazole, isoxazole, triazole or thiadiazole, which ring is optionally substituted by lower alkyl, hydroxyl, halogen or amino and Ar is an aryl group such as phenyl optionally substituted by halogen, methyl or amino; which process comprises reacting a compound of the formula XIII.



wherein B is RNH or R¹NH, R¹ is Het (CH₂)_m Z (CH₂)_n; X, Y, R, Het, Z, m and n have the above significance; Q is sulphur or oxygen; and R² is lower alkyl or aralkyl; with a compound of formula D, wherein D is R¹NH₂ or RNH₂, provided that, when B is RNH, D must be R¹NH₂.

CLASS 179D & E.

141253.

Int. Cl.-B65d 55/10.

ELECTRICALLY OPERATED FUEL TANK CAP FOR AUTOMOBILES.

Applicant & Inventor : DHARAMCHAND JAWARILAL, 45, VISWANATHA RAE ROAD, MADHAVANAGAR, BANGALORE-560 001, KARNATAKA STATE, INDIA.

Application No. 161/Mas/74 filed October 15, 1974.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Madras Branch.

3 Claims.

An electrically operated fuel tank cap for automobiles operating with the help of car battery comprising in combination with a cast metal neck, a sheet metal cap fitted with a circular plate and mounted with a semi-circular metal locking lever by means of a rivet, an electro magnetic coil fitted to said circular plate and connected to a switch, the switch being connected through ignition circuit to the battery of the car to energise the said coil, the said lever being attracted by said coil when energised and brought from locked position to unlocked position, a locking spring urging said lever to the locked position being provided on the metal neck of the tank to hold the lever in locked position, the said metal cap being hingedly connected to said neck of the tank and a release spring urging the said cap to its open position.

CLASS 70C.

141254.

Int. Cl.-C23b 5/00.

METHOD OF AND APPARATUS FOR CONTINUOUSLY DEPOSITING A METAL COATING ON A LONGITUDINALLY MOVING WIRE.

Applicant : INTERNATIONAL STANDARD ELECTRIC CORPORATION, OF 320 PARK AVENUE, NEW YORK 22, STATE OF NEW YORK, UNITED STATES OF AMERICA.

Inventors : JAMES DELVES- BROUGHTON, VICTOR ALBERT CHARLES BURTON, BARRY ARTHUR KEMPTER AND THOMAS JOSEPH WILLIAMS.

Application No. 431/Cal/74 filed February 28, 1974.

Convention date April 5, 1973/(16274/73) U.K.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

18 Claims.

Apparatus for continuously depositing a metal coating on a longitudinally moving wire, of the type including means for passing the wire a plurality of times through one or more degreasing tanks containing a degreasing solution, each time passing the wire in a loop around two rotatable drums, at least one of which drivable, and including means for passing the degreased wire a plurality of times through one or more plating tanks containing an electrolyte comprising a salt of the metal to be deposited, each time passing the wire in a loop around two rotatable electrically conducting plating drums, at least one of which is drivable, at least one of the plating drums being connectible to the negative pole of a source of direct current, and anode current being supplied through one or more anodes made of the metal to be deposited which extend into the electrolyte, wherein drive means for the drivable plating drum and the drivable degreasing drum are inter-related and such that, in dependence on the wire tension the speed of the wire through the degreasing tank or tanks can be varied within predetermined limits with respect to the speed of the wire through the plating tank or tanks, wherein the degreased wire emerging from the or the last degreasing tank is fed over a pulley carried on a dancer arm before being directed towards the plating tank or tanks, and wherein the dancer arm is pivotable against a spring force in dependence on the wire tension and serves to adjust a control element in a control circuit for the drivable degreasing drum whereby to introduce the variation in the drive speed of the degreasing drum with respect to the drive speed of the plating drum.

CLASS 119F.

141255.

Int. Cl.-D03d 45/16.

IMPROVEMENTS RELATING TO WEFT MIXER DEVICES FOR LOOMS.

Applicant : SOCIETE ASIACIENNE DE CONSTRUCTIONS MECANQUES DE MULHOUSE, OF 1 RUE DE LA FONDERIE, 68054 MULHOUSE CEDEX, FRANCE.

Inventor : ANDRE JOANS.

Application No. 2726/Cal/74 filed December 11, 1974.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

5 Claims.

Weft mixer device for looms, comprising a plurality of selection fingers each one of which can occupy either an active position in which it supports a weft yarn in the path of a weft inserting member or an inactive position in which it supports a yarn outside of said path, said selection fingers being mounted for oscillation on a common vertical shaft supported by the loom frame and being articulated on this vertical shaft about an axis at right angles to the axis of said shaft, and a grid between the bars of which said selection fingers are guided, said grid being formed by a frame of which two opposed sides are of unequal length and in which are mounted movable bars which extend between said two opposed sides, the internal length of the shorter of said sides of the grid frame being substantially equal to the sum of the thicknesses of said bars and of the thickness of a single selection finger, while the internal length of the longer of said sides of the grid frame is at least equal to the sum of the thicknesses of all the bars and of all the selection fingers.

CLASS 60A.

141256.

Int. Cl.-D04d 7/04.

IMPROVED BRASSIERE.

Applicant & Inventor : RAMAVATAR HIRALAL KARIWALA, OF P-329, C.I.T. ROAD, CALCUTTA-700 054, WEST BENGAL, INDIA.

Application No. 1526/Cal/76 filed August 21, 1976.
Addition to No. 138400.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

2 Claims.

A brassiere for wet nurses and nursing mothers as claimed in any of the claims 1—5 of Patent No. 138400 in which the detachable fastening means between the arcuate strip and the upper portion of the cup comprise a zip, a self adhering means, re-useable adhesive and the like or a string.

CLASS 206D.

141257.

Int. Cl.-H03b 3/18.

IMPROVEMENT IN OR RELATING TO RADIO FREQUENCY GENERATOR.

Applicant : COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, RAFI MARG, NEW DELHI-1, INDIA.

Inventors : KODAVANTI MALLIKHARJUNA SWAMY, AND RAJENDER SINGH ROHELLA.

Application No. 2704/Cal/73 filed December 12, 1973.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Delhi Branch.

3 Claims.

An R. F. generator which operates on 230v, 50Hz, and produces both cont. and pulse R. F. power output into a maximum of 15 and 11 watts respectively at a frequency in the range from 500 KHZ to 1000 KHZ which can be used for many industrial and medical applications comprising a D.C. power supply using full-wave rectifier, a timer T to control time of A.C./D.C. power application to the plate of the oscillator valve V1 from few seconds to 15 minutes and Vc in Fig. 1, whereby R.F. output cont/pulse can be varied continuously with a provision to change switch S2 for obtaining cont. or pulse waves.

CLASS 120C.

141258.

Int. Cl.-F16n 7/00, 7/16.

A SLEEVE AND THRUST BEARING FOR A HORIZONTAL SHAFT.

Applicant : WESTINGHOUSE ELECTRIC CORPORATION, WESTINGHOUSE BUILDING, GATEWAY CENTER, PITTSBURGH 15222, PENNSYLVANIA, UNITED STATES OF AMERICA.

Inventors : HOWARD NORMAN KAUFMAN AND ALBERT ANTHONY RAIMONDI.

Application No. 240/Cal/74 filed February 4, 1974.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

3 Claims.

A sleeve and thrust bearing for a horizontal shaft, comprising upper and lower bearing halves, and having a sleeve bearing surface, a thrust bearing surface disposed in oil-flow communication with, and in a plane perpendicular to, the sleeve bearing surface, and a lubrication port of delivering oil supplied thereto to the sleeve bearing surface, characterised in that the upper bearing half has formed therein a circumferential oil receiving slot, and at least one oil feeding groove extending downwardly from the oil receiving slot and directly to the thrust bearing surface, the arrangement being such that a portion of the oil supplied to the lubrication port is diverted into the circumferential oil receiving slot and gravitates therefrom to said thrust bearing surface through said or each oil feeding groove.

CLASS 172C.

141259.

Int. Cl.-D01g 19/10.

COMBING CYLINDER FOR COMBING MACHINE.

Applicant : NITTO SHOJI KABUSHIKI KAISHA, OF 46, MASAGO-CHO, KITA-KU, OSAKA, JAPAN.

Inventors : TATSUO HORIUCHI AND AKIRA MORIWAKI.

Application No. 379/Cal/74 filed February 22, 1974.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

3 Claims.

A combing cylinder for a combing machine characterized in that a combing segment 2 is mounted on a base cylinder 1 in such a manner that the distance R_1 from the rotational axis O of the base cylinder 1 to the combing starting point A of the combing segment 2 is greater than the distance R_2 from said rotational axis O to the combing ending point B of said combing segment 2.

CLASS 114F.

141260.

Int. Cl.-C14c 3/06.

LEATHER TANNING PROCEDURES USING PHOSPHORIC ACID IN THE PICKLING STEP.

Applicant : ALBRIGHT & WILSON LIMITED, OF P.O. BOX 3, OLDBURY, WARLEY, WORCESTERSHIRE, ENGLAND.

Inventor : GLYN MILLER AND MALCOIM KENNETH LEAFE.

Application No. 1131/Cal/74 filed May 23, 1974.

Convention date May 23, 1973/(24712/73) U.K.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

10 Claims. No drawings.

A process for tanning leather which comprises pickling a delimed hide by treating with an aqueous solution of an acid and subsequently chrome tanning the pickled hide wherein the aqueous acid solution is a phosphoric acid solution or a solution of a mixture of phosphoric acid and another mineral acid.

CLASS 32F;c & 40F.

141261.

Int. Cl.-C01b 21/46, C07c 77/02, C07b 11/00.

A METHOD FOR REPROCESSING THE FINAL ACIDS OF THE NITROGLYCERIN PRODUCTION.

Applicant : JOSEF MEISSNER, OF BAYENTHALBURTEL 16-20, 5 KOLN 51, FEDERAL REPUBLIC OF GERMANY.

Inventors : HANS ROLF JAKOB MAYER (2) GERHARD LANGECKER AND HANS-JURGEN GEBAUER.

Application No. 1229/Cal/74 filed June 5, 1974.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

6 Claims.

A method for reprocessing final acids obtained in the nitration of polyhydric alcohols, in particular glycerin, said acids containing predominantly sulfuric acid, nitric acid and minor amounts of the nitration product, in particular nitroglycerin, characterized in that the final acids are freed from the nitration product, in particular nitroglycerin, by extraction with aromatic nitro compound used in the manufacture of explosives.

CLASS 32C & 55E; & E; & 60X;d.
Int. Cl.-C078 11/00.

141262.

NEW ANTIBIOTICS.

Applicant : BEECHAM GROUP LIMITED, OF BEECHAM HOUSE, GREAT WEST ROAD, BRENTFORD, MIDDLESEX, ENGLAND.

Inventors : DENNIS BUTTERWORTH, MARTIN COLE AND JOHN DICK HOOD.

Application No. 515/Cal/75 filed March 15, 1975.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

6 Claims.

A process for the preparation of an antibacterially active carboxylic acid compound designated as MM 13902 and salts thereof, which substance MM 13902 is a solid carboxylic acid characterised in that its pure di-sodium salt :

- (i) is highly soluble in water, soluble in methanol and substantially insoluble in chloroform, diethylether and hydro-carbons;
- (ii) in aqueous solution has an ultra-violet spectrum substantially as shown in Fig. 1 of the accompanying drawings with absorption maxima at about 305 and 225 m μ ;
- (iii) when present at 0.4% w/w in a freshly prepared KBr disc has an infra-red absorption spectrum substantially as shown in Fig. 2, of the accompanying drawings with absorption maxima at inter alia about 3450, 2950, 1750, 1620, 1510, 1400 and 1260cm $^{-1}$;
- (iv) has an n.m.r. spectrum substantially as shown in Fig. 3 of the accompanying drawings when taken in a freshly prepared solution in D $_2$ O with inter alia (a) a pair of low field doublets centred at approximately 2.85 τ and 4.00 τ with coupling constants of approximately 14 Hz; (b) a doublet centered at approximately 8.55 and (c) a sharp singlet at approximately 8.00;
- v) has the following approximate R_f values when run on a cellulose thin layer chromatography system;
 - (a) n-butanol/ isopropanol/ water—7 : 7 : 6 v/v; $R_f=0.72$
 - (b) isopropanol/water—7 : 3 v/v; $R_f=0.85$
 - (c) n-butanol/ethanol/water—7 : 7 : 6 v/v; $R_f=0.81$
 - (d) n-propanol/water—4 : 1; $R_f=0.75$;
- (vi) has an I_{50} of between 0.001/ μ g/ml and 0.0001/ μ g/ml against the β -lactamase of *Escherichia coli* B11;
- (vii) synergises the activity of ampicillin against organisms including strains of *Escherichia coli*, *Klebsiella aerogenes*, *Proteus mirabilis*, *Proteus morganii* and *Staphylococcus aureus* Russell;

which process comprises the aerobic growth of a MM 13902 producing strain of *Streptomyces* in the presence of assimilable sources of carbon, nitrogen, sulphur and mineral salts in a solid or semi-solid nutritive medium or in a liquid medium in which the nutrients are dissolved or suspended, at a temperature of 28 \pm 2°C for 2 to 3 days and thereafter extracting the antibiotics present from the culture medium, either by initial absorption on to and then elution from active charcoal or an ion-exchange resin containing tertiary amino groups or quaternary ammonium groups or by extracting into a solution of a lipophilic ammonium salt in a water immiscible solvent at a temperature not exceeding 20°C and separating the MM 13902 therefrom by column chromatography either by using a cellulose or silica-gel column and eluting with mixtures of water with water-miscible organic solvents or by using

columns of ion-exchange resins containing tertiary amino groups or quaternary ammonium groups and eluting with aqueous solutions of electrolytes buffered to approximate neutrality.

CLASS 32F, & F₂a & 55E₂ & F₁ & 60X₂a. 141263.
Int. Cl.-C07c 103/19.

PREPARATION OF α -6-DEOXY-5-HYDROXYTETRACYCLINE.

Applicant : PFIZER INC., OF 235 EAST 42ND STREET, NEW YORK, STATE OF NEW YORK, UNITED STATES OF AMERICA.

Inventor : CHARLES JOHN VINCENT SCANIO.

Application No. 775/Cal/75 filed April 18, 1975.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

6 Claims.

A process for the preparation of α -6-deoxy-5-hydroxytetracycline hydrochloride which comprises contacting 6-methylene-5-hydroxytetracycline or the hydrochloride salt thereof with dicobalt octacarbonyl, triphenyl phosphine and hydrochloric acid in a molar ratio of 6-methylene-5-hydroxytetracycline/dicobalt octacarbonyl/triphenyl phosphine/hydrochloric acid of 1.0/1.0/0.1-0.2/1.5-2 in a solvent for said reactants and under an inert atmosphere at a reaction temperature of 80—115°C.

CLASS 57D. 141264.

CHAIN LATCH FOR DOOR.

Applicant & Inventor : YOSHITAKA NAKANISHI, OF 12-9, YAWATA 5-CHOME, ICHIKAWA-SHI, CHIBA-KEN, JAPAN.

Application No. 1832/Cal/75 filed September 24, 1975.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

8 Claims.

A chain latch for door comprising a chain, an end of which is fixed to a door or of door-frame, a locking member fixed to the free end of said chain and having an elongated slot, and a retainer member having a base plate fixed on said door or door-frame and a hook which receives said elongated slot of said locking member, said hook having a neck portion which extends integrally from said base plate and enables the elongated slot of said locking member to engage therewith in a manner permitting said slot to rotate about and slide along said neck portion and a head portion which stretches in T-form from an end of said neck portion, said head portion not only permitting the said elongated slot to pass over the head portion for making said elongated slot engage with said neck portion or get off from the same when said elongated slot is in alignment with said head portion with said door in its closed position, but also securing said elongated slot in engagement with said neck portion as a result that said elongated slot of said locking member is rotated about said neck portion so as to cross against said head portion.

CLASS 185E. 141265.
Int. Cl.-C07d 57/56.

DECAFFEINATION PROCESS.

Applicant : NESTLE'S PRODUCTS LIMITED, OF NESTLE HOUSE, COLLINS AVENUE, NASSAU, BAHAMAS.

Inventors : FULVIO ALESSANDRO PAGILIARO, JAMES GORDON FRANKLIN, AND RUPERT JOSEF CASSER.

Application No. 2161/Cal/75 filed November 12, 1975.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

17 Claims. No drawings.

A process for producing a decaffeinated vegetable material comprising contacting a liquid, water-immiscible fatty material with a caffeine-containing vegetable material, maintaining said fatty material and vegetable material in contact for a period of time sufficient to transfer caffeine from said vegetable mate-

rial into said fatty material, and separating the resultant, caffeine-laden fatty material from the decaffeinated vegetable material.

CLASS 34C. 141266.

Int. Cl.-C08b 19/04, 13/00.

THIOSTARCH AND THIOCELULOSE.

Applicant : KRISHNASWAMY NARAYAN, SPECIAL SECRETARY TO GOVERNMENT OF KERALA, INDUSTRIES DEPARTMENT, GOVERNMENT SECRETARIAT, TRIVANDRUM, KERALA, AND DR. PULLUKAT THOMES JOSEPH, DIRECTOR, INDUSTRIAL TESTING AND RESEARCH LABORATORY, TRIVANDRUM-19, INDIA.

Inventor : DR. PULLUKAT THOMES JOSEPH.

Application No. 190/Mas/73 filed December 14, 1973.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Madras Branch.

2 Claims No. drawings.

A process for preparing sulphur derivative of polysaccharides such as starch and cellulose comprising reacting the said polysaccharides with concentrated solution of alkali hydroxide and a calculated amount of sulphur as herein defined under reflux for at least 12 hours, cooling and filtering the said mixture, extracting the filtrate with ether, discarding the ether extract, acidifying the aqueous layer with dilute acid such as sulphuric acid to precipitate the sulphur derivative of polysaccharides.

PRINTED SPECIFICATION PUBLISHED

A limited number of printed copies of the undernoted specifications are available for sale from the Officer-in-Charge, Government of India, Central Book Depot, 8, Hastings Street, Calcutta, at two rupees per copy :—

	(1)
111488	
	(2)
113856 114696 114710	
	(3)
114204	
	(4)
114319	
	(5)
111850 115256	
	(6)
82661 104488 107212 114294 114782	
	(7)
114817	
	(8)
118872	
	(9)
118036	
	(10)
80985 127337 135066	
	(11)
136778 136781 136782 136784 136796 136797 136800 136802 136803	
	(12)
133372 133596 134889 135129 135873 135876 135879 135880 135881 135885 135891 135896 135899 135900	
	(13)
106955	

(14)	136864 136872 136889 136894
(15)	136911 136917 136922
(16)	86393 87850 93820 117443 127199 137493 137496
(17)	129801 137623
(18)	81887 84788 99460 114235 114935 118737 126598 127876 129401 129548 130818 133779
(19)	90813 96615 98521 101016 112696 113784 115694 125296 126592 137641

PATENTS SEALED

136280 137257 137277 138228 138257 138531 138539 138599
138808 138907 138946 138954 138987 138992 139002 139005
139007 139019 139023 139025 139029 139039 139065
139066 139069 139086 139088 139089 139091 139094 139098
139100 139102 139105 139106 139108 139109 139112 139113
139114 139115 139116 139118 139119 139121 139123 139128
139130 139131 139134 139137 139138 139143 139145 139152
139153 139154 139227 139231 139241 139275 139295 139299
139314

CLAIM UNDER SECTION 20(1) OF THE
PATENTS ACT, 1970

The Claim made by Navnital Manilal Shah under Section 20(1) of the Patents Act, 1970 to proceed the application for Patent No. 139859 in his name has been allowed.

REGISTRATION OF ASSIGNMENTS, LICENCES, ETC.
(PATENTS)

Assignments, licences or other transactions affecting the interests of the original patentees have been registered in the following cases. The number of each case is followed by the names of the parties claiming interests :—

100242.	} M/s. Establishment Salgad.
109844.	
114531.	
115111.	
115112.	
117846.	
118858.	
118912.	
120402.	
121640.	
129103.	
129211.	
129884.	
130574.	
130743.	

RENEWAL FEES PAID

76389 79443 80261 80359 80619 80769 85872 85971 85991
86138 86158 86557 86578 86851 86925 86945 91325 91646
91648 91649 91660 91674 91859 91911 92378 92423 92456
92527 92571 92856 92885 95263 97464 97662 97783 97816
97834 97891 97991 98077 98466 98478 98755 99458 99479
102986 103251 103262 103413 103468 103868 103923 103979
103980 103981 103982 104041 104087 104370 104380 104381

104429 108210 108529 108672 108737 108854 109026 109081
109125 109146 109154 109164 109355 109403 109425 109461
109521 109527 109528 109714 113007 113810 113856 113915
113918 113944 113948 114004 114021 114088 114110 114133
114179 114186 114241 114246 114247 114309 114315 114322
114326 114337 114471 114485 114569 114664 114665 114681
114725 114855 114879 114905 114918 116462 118398 118399
118983 119353 119391 119406 119611 119642 119765 119808
119816 119826 119874 119891 119918 119950 120065 120273
120454 120455 121489 122672 123005 123006 123692 124354
124501 124503 124597 124656 124692 124694 124947 124976
125044 125055 125197 125207 125276 125299 125366 125381
125440 125454 125485 125512 125741 124908 127329 129682
129741 129796 129854 129855 129858 129880 129884 130102
130113 130114 130137 130141 130208 130221 130241 130269
130279 130298 130346 130363 130373 130378 130461 130479
130520 130571 130617 130977 131374 132057 132370 132517
133157 133480 133659 134030 134161 134171 134193 134195
134230 134256 134283 134321 134351 134392 134410 134445
134452 134525 134598 134677 134678 134700 134722 134748
134766 134949 134950 134951 134970 135013 135434 135572
135718 135875 136064 136137 136138 136279 136341 136550
136551 136571 136694 136823 136941 136972 137063 137118
137127 137519 137530 137549 137596 137734 138100 138107
138120 138128 138230 138252 138255 138256 138260 138293
138323 138338 138343 138378 138419 138475 138478 138528
138549 138556 138620 138656 138692 138695 138707 138747
138980 139001 139199 139215 139242 139406.

RESTORATION PROCEEDINGS

Notice is hereby given that an application for restoration of Patent No. 105289 dated the 20th April, 1972 made by Sudhir Chandra Chakraborty on the 30th April 1976 and notified in the Gazette of India, Part III, Section 2 dated the 31st July, 1976 has been allowed and the said patent restored.

REGISTRATION OF DESIGNS

The following designs have been registered. They are not open to inspection for a period of two years from the date of registration except as provided for in Section 50 of the Designs Act, 1911.

The date shown in each entry is the date of registration of design included in the entry.

Class 3. No. 144683. Asian Radios, 1681/1, Jogdhyan Colony, Bhagirath Palace, Chandni Chowk, Delhi-110006., An Indian Partnership firm. "A radio". August 30, 1976.

Class 12. No. 144516. Nirmal Sales Corporation, Inside Jessoo Gate, Bikaner, Rajasthan, Indian Partnership firm. "A soap cake". July 14, 1976.

COPYRIGHT EXTENDED FOR A SECOND PERIOD
OF FIVE YEARS

Design Nos. 138823, 139222, 139223, 139224,
139225 & 139760.....Class 1.

Design Nos. 139053, 139054, 139590, 139591,
139592, 139637, 139638, 139639 &
139891 Class 3.

Design Nos. 139059 & 139060..... Class 4.

Design Nos. 139051 & 139052 Class 10.

COPYRIGHT EXTENDED FOR A THIRD PERIOD
OF FIVE YEARS

Design No. 130502 Class 1.

Design Nos. 129594 & 130216, 139592..... Class 3.

Design No. 130689 Class 12.

S. VEDARAMAN
Controller-General of Patents, Designs
and Trade Marks

